

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
8 March 2001 (08.03.2001)


PCT

(10) International Publication Number
WO 01/17209 A1

- (51) International Patent Classification: H04M 1/725, 1/247
- (21) International Application Number: PCT/US00/24205
- (22) International Filing Date: 31 August 2000 (31.08.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 09/387,617 31 August 1999 (31.08.1999) US
- (71) Applicant (for all designated States except US): NOKIA MOBILE PHONES LIMITED (FI/FI); Patent Department, Keilalahdentie 4, FIN-02150 Espoo (FI).
- (72) Inventors; and
(75) Inventors/Applicants (for US only): HEIE, Anders [DK/US]; 3885 Nobel Drive, Apt 2419, San Diego, CA 92122 (US). CHIN, Stacy [US/US]; 7133 Florey Drive, San Diego, CA 92122 (US).
- (74) Agent: PATEL, Milan; Patent Department, 12278 Scripps Summit Drive, San Diego, CA 92131 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian

[Continued on next page]

(54) Title: A METHOD AND APPARATUS FOR CONTROLLING FUNCTIONALITY OF A DEVICE BASED ON TIME OF DAY



(57) Abstract: The present invention provides a method and apparatus, which automatically controls functionality of a mobile device based on time of day. The method and apparatus is provided for modifying functional parameters of a mobile device based on a time of day by determining if the time of day is greater than or equal to an action time parameter; and, if yes, selecting and executing a task associated with a function to execute.

WO 01/17209 A1



patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— With international search report.

— Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

A METHOD AND APPARATUS FOR CONTROLLING FUNCTIONALITY OF A DEVICE BASED ON TIME OF DAY

FIELD OF INVENTION

This invention relates generally to electronic devices and, more
5 particularly, to portable electronic devices that have controllable functions and maintain time of day.

BACKGROUND OF THE INVENTION

Mobile stations (also referred to as a radiotelephones, mobile devices,
mobile transceivers, mobile telephones, mobile terminals, etc.) are becoming
10 a convenient means of communication around the world. Today, people use mobile phones as a main means of communication throughout everyday life. People use mobile phones to take care of everyday business, usually during business hours, and take care of personal matters, usually during off hours. There are several features provided on the mobile phone that allow the users
15 to customize the settings. For example, a user working in noisy surroundings may set the ring volume to loud and select vibrate mode so that the user can hear the ring or feel the phone when a call is received. This user must then adjust these settings when moving away from the noisy work environment into a low-noise environment, such as a home. Having to adjust the setting
20 everyday can be very inconvenient.

Also, electronic devices using Liquid Crystal Displays (LCD) may use
backlight when a key is pressed. Energy is wasted when these devices are
used when natural light is available. The unnecessary use of battery power is
especially inconvenient for mobile electronic devices, in which conversion of
25 the battery power is very valuable.

Also, as mobile phones are becoming more affordable, parents are
starting to provide mobile phones to their children for various reasons. In

some areas of the world, even children attending first grade are carrying and using mobile phones. Parents of these children provide mobile phones so that they can communicate with the children anytime during the day, for example, in case of an emergency or simply to notify the child to stay at a secure location because they will be late. Also, children having mobile phones are able to call for assistance in case of an emergency. For both parents and children, having a means to communicate throughout the day is very useful. However, in some areas of the world, children are sending and receiving calls during school hours that not related to emergencies. Some students receive calls while they are taking exams, thereby providing a means to cheat. Mobile phones with short message service (SMS) functions are even more problematic. Using the SMS function, students may ask questions and receive answers, virtually undetected by their teachers, even during exams. The schools may be forced to set rules requiring that phones not be allowed in schools or classes. However, if students cannot have phones with them at all times, this may defeat the main reasons that parents provide their children with phones.

SUMMARY OF INVENTION

Briefly described, the present invention comprises a method and apparatus, which automatically controls functionality of a mobile device based on time of day. The method and apparatus is provided for modifying functional parameters of a mobile device based on a time of day by determining if the time of day is greater than or equal to an action time parameter; and, if yes, selecting and executing a task associated with a function to execute. The action time parameter may then be updated.

In an embodiment of the invention, an LCD backlight function of a mobile phone may be controlled based on time of day. Typically, during the day there is enough light to read the information on the LCD of a mobile phone without providing any backlight. Therefore, the backlight function may

be turned off during the day and may be turned on during night. The user may adjust the action times based on preference or the time of year (daylight saving, for example). The advantage is that the amount of LCD light used can be controlled, thereby saving battery power during the day when plenty of natural light may be available.

In another embodiment of the invention, the user may select a block of time for operation of certain alert features (for example, ring volume, ring tone, vibrate mode, etc.) based on working hours and personal preferences. For example, working hours could start at 7:30 a.m. and end at 4:30 p.m. for Monday through Friday. In this example, when the user works in a noisy environment, the mobile phone's ring is set to loud and vibrate mode is on from 7:30 a.m. to 4:30 p.m., Monday through Friday. Advantage is that the user sets the working hours and never worries about the phone ringing very loud after 4:30 p.m. or missing a call due to low-ring volume during working hours. The mobile phone automatically adjusts the setting of the selected functions during non-working hours.

Yet in another embodiment, a user can inhibit or allow operation of a mobile station within certain time periods. For example, parents who provide mobile phones for their children can program the mobile phone for operation during non-school hours only, such that the mobile phone is fully functional only during non-school hours. During school hours, most of the functions of the mobile phone may be disabled. For example, the send, receive and SMS functions may be turned off for normal use during school hours. However, the parents can preprogram phone numbers into the mobile phone, so that it can only accept calls from or make calls to a selected number or numbers during school hours. The advantage of this embodiment is the phone can transmit and receive calls for only preprogrammed numbers during school hours. During non-school hours the phone can function as normal. The parents have the knowledge that their children are not abusing the mobile phone, and

school officials do not have to worry about the students abusing phones during school hours.

BRIEF DESCRIPTION OF THE DRAWINGS

Other advantages will be readily appreciated, as the invention
5 becomes better understood by reference to the following detailed description and the accompanying drawings.

FIG. 1 is a block diagram of a mobile phone according to an embodiment of the invention;

FIG. 2 is an action table and variables defined in the memory of the
10 mobile phone of FIG. 1; and

FIG. 3 is a flow diagram that illustrates the monitoring task executed by the mobile phone of FIG. 1.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 is a block diagram of a mobile phone according to an
15 embodiment of the invention. Generally, mobile phone 1 includes transmitter 10, receiver 11, and processor 13 that is coupled to transmitter 10 and receiver 11. Processor 13 initiates the transmission of outgoing signals and processes incoming signals. These signals may include signaling information in accordance with the air interface of the applicable cellular or digital system,
20 and also user speech and/or user generated data.

A user interface includes ringer 17 for controlling the volume of the ring, Liquid Crystal Display (LCD) 16 with a backlight, and user input device keypad 15, all of which are coupled to processor 13. Mobile phone 1 also comprises timer 14 (also referred to as a clock chip) for synchronizing the
25 operations of processor 13 and tracking the current time of day. Timer 14 is coupled to processor 13 to maintain a current time-of-day signal to processor

13. Alternatively, in some systems, the network (not shown) may provide a current time-of-day signal transmitted to mobile phones over the air interface.

Mobile phone 1 also includes various memories, shown collectively as memory 12. Memory 12 includes a plurality of stored constants and variables that are used by processor 13 during the operation of mobile phone 1. For example, memory 12 stores the values of the various feature parameters and the number assignment module (NAM). An operating program for controlling the operation of processor 13 is also stored in memory 12 (typically in a read only memory). Memory 12 is also used to store data provided by the user through the user interface. Furthermore, memory 12 is used to hold the subprograms or subprocesses for controlling the operation of mobile phone 1 and carrying out the embodiment of the invention.

FIG. 2 illustrates an action table 5 used for the preferred embodiment. The action table 5 is stored and defined in memory 12 and contains information used to carry out the embodiment of the invention. Table 1 shows an example of a pseudo code for creating the action table 5, as shown in FIG. 2. The action table 5 is a collection of one or more functions, such as function 1–function N that comprise a function list 20. Referring to function 1 as an example, each function, such as function 1, comprises a current set pointer 22, a time_task list 25, comprising time_task sets 23, and a next function pointer 24.

The current set pointer 22 is used to point one of time_task set 23 and generally points to the set 23 that requires an action. Each time_task set 23 comprises a task time 23A, task type 23B and next set pointer 23C. The task time 23A presents the time to execute the task type 23B. The task type 23B is the type of task to be performed, which is associated with the function 1. The task is part of a list of one or more tasks, wherein each task list is associated with the function. Table 2 shows an example of the function list 20 and a list of tasks associated with each function. The next set pointer 23C

points to the next set that requires action. If there is only one time_task 23 in the time_task list 25, then the next set pointer 23C is set to a predetermined value (null, for example) to indicate that this time_task set 23 is the last set in the task list 25. The task list 25 may be a link list or an array of records. One skilled in the art knows that link lists are dynamically created and require some memory management, whereas arrays have predetermined size, for example, array of ten records, which are defined at time of manufacture. It should be noted that using link list versus arrays is a manufacturer preference and not a limitation.

The next function pointer 24 is used to point to the next function in the action table 5. If there is only one function in the action table 5, then the next function pointer 24 points to itself. It should be realized that modification to number of functions or number of tasks should not be a limitation.

Table 1. Pseudo Code Example

Arrays or Link Lists	Records
Function_Rec_List	Record Function_Rec Current_Set_Pointer; //pointer// Time_Task_Set; //link list or an array// Task_Executed; // true or false// Next_Funtion_Ptr; //pointer// End record
Time_Task_Set	Record Time_Task_Set_rec Time_type; Task_Type; Next_Set_Pointer; //pointer// End record;

Table 2. Example of Functions and Associated Task List

Function	Associated Task list
LCD back light control	Turn ON LCD back light task Turn OFF LCD back light task
School Mode Control	Turn ON SMS Function task Turn OFF SMS Function task Turn ON Transmit Function task Turn OFF Transmit Function task Turn ON Receive Function task Turn OFF Receive Function task
Work Mode Control	Set Ringer to loud task Set Ringer to low task Turn Vibrate Mode ON task Turn Vibrate Mode OFF task

In accordance with an aspect of this invention the operating program in memory 12 includes a routine to allow the user to set up one or more function settings to control based on time of day. Using the menu function, the user is able to select a function, enter a range of time, and select a task from a list of tasks. Depending upon the function, the user may enter passwords or add, modify or delete tasks. Once the user has completed entering data for the

function, the routine updates the action table 5 and calculates all the time parameters.

It should be realized that, as an alternative, action table 5 can be initialized when the phone is manufactured or activated and may not allow the user to make any modification. Also, it is within the scope of the invention to provide override features, which either temporarily or permanently modify the action table 5. For example, if a user wants the LCD backlight during the day, a long press key ("***" key, for example) would turn on the LCD backlight for a predetermined time. Also, for the "School Mode Control," password sequence can be provided to ensure that the user (student, for example) is prevented from modifying preprogrammed tasks and/or times to perform tasks set by the parent.

Reference is made to FIG. 3 for illustrating a monitoring task in accordance with an embodiment of this invention. Processor 13 periodically executes the monitoring task. At block 30, it is assumed that an action time parameter (not shown) has been initialized. The action time parameter indicates the next time to take an action and is defined as a variable in memory 12. At block 31, the current time of day is accessed by processor 13 from clock chip 14 and compared with the action time parameter. If the current time of day is greater or equal to the action time parameter, then block 32 is executed. Otherwise, processor 13 exits the monitoring task.

At block 32, processor 13 loops through one or more functions to determine which function requires a task to be performed. Processor 13 accesses the action table 5 from memory 12. Starting with function 1 in the action table 5, processor 13 compares the time value indicated by task time 23A of set 23 pointed to by current set pointer 22 with the action time parameter. If the time value is greater than or equal to the action time parameter, then this function requires a task to be performed. Otherwise, processor 13 uses the next function pointer 24 to check the next function in

table 5. Processor 13 exits the loop if the next function pointer 24 points back to function 1.

When it is determined that a task is to be performed, at block 33, the task to execute is selected from the set 23 pointed to by the current set pointer 22, i.e., task type 23B of the set 23. At block 34, the selected task is then executed. For example the "Turn OFF LCD backlight task" (shown in Table 2) is executed by processor 13 setting LCD backlight variable to OFF in memory 12.

Next, at block 35, processor 13 updates the current set pointer 22 with a next set pointer 23C of the set 23. Upon cycling through all the functions, at block 36, the processor calculates a new value for the action time parameter. This is done by selecting the lowest time value, indicated by the task time of the set 23 pointed to by the current set pointer of each function of functions 1–N defined in the action table 5. Once the lowest time value is determined, then processor 13 sets the lowest time value as the action time parameter and exits the monitoring task at block 37.

It should be realized that it is within the scope of the invention to update the parameters in the action table 5 once a day to avoid repeated action. Depending on the method of updating the parameters, the action table 5 and memory 12 may require additional variables.

It should also be realized that it is within the scope of the invention to provide power-up routines that update the action table 5, to align functions setting with the current time of day, and to calculate the action time parameter to represent the next time to take any action.

Thus, while the invention has been particularly shown and described with respect to preferred embodiments thereof, it will be understood by those skilled in the art that changes in form and detail may be made therein without departing from the scope and spirit of the invention.



CLAIMS

What is claimed is:

- 1 1. A method for modifying functional parameters of a mobile device based on
2 a time of day, comprising the steps of:
3 determining if the time of day is greater than or equal to an action time
4 parameter;
5 selecting a task associated with a function and executing the selected
6 task, if the step of determining is positive; and
7 updating the action time parameter upon executing the selected task.
- 1 2. A method as set forth in claim 1, wherein
2 said function is associated with a task list, comprising at least one task;
3 and
4 the task selected in said step of selecting is selected from the task list.
- 1 3. A method as set forth in claim 2, wherein said function is one of a plurality
2 of functions.
- 1 4. A method as set forth in claim 2, wherein said function is an LCD backlight
2 control function associated with the task list comprising a Turn ON LCD
3 backlight task and a Turn OFF LCD backlight task.
- 1 5. A method as set forth in claim 2, wherein said function is a mode control
2 function associated with the task list comprising a Turn ON SMS Function
3 task and a Turn OFF SMS Function task.
- 1 6. A method as set forth in claim 2, wherein said function is a mode control
2 function associated with the task list comprising a Turn ON Transmit
3 Function task and a Turn OFF Transmit Function task.

- 1 7. A method as set forth in claim 2, wherein said function is a mode control
2 function associated with the task list comprising a Turn ON Receive
3 Function task and a Turn OFF Receive Function task.
- 1 8. A method as set forth in claim 2, wherein said function is a mode control
2 function associated with the task list comprising a Set Ringer to loud task
3 and Set Ringer to low task.
- 1 9. A method as set forth in claim 2, wherein said function is a mode control
2 function associated with the task list comprising a Turn Vibrate Mode ON
3 task and a Turn Vibrate Mode OFF task.
- 1 10. A method as set forth in claim 1, wherein said step of determining is
2 performed periodically.
- 1 11. An apparatus for controlling functional parameters of a mobile device
2 based on a time of day, said apparatus comprising:
3 a memory for storing an action time parameter and a function;
4 a controller coupled to said memory, said controller for determining if
5 the action time parameter is greater than or equal to a time of day; and
6 in response to a positive determination,
7 selecting a task associated with the function, and executing said task.
- 8 12. An apparatus as set forth in claim 11, wherein said memory is further for
9 storing a task list associated with said function, and wherein said
10 processor selects a task from the task list.
- 1 13. An apparatus as set forth in claim 12, wherein said memory further is for
2 storing a plurality of functions.

- 1 14. An apparatus as set forth in claim 12, wherein said function is an LCD
2 backlight control function associated with the task list comprising a Turn
3 ON LCD backlight task and a Turn OFF LCD backlight task.
- 1 15. An apparatus as set forth in claim 12, wherein said function is a mode
2 control function associated with the task list comprising a Turn ON SMS
3 Function task and a Turn OFF SMS Function task.
- 1 16. An apparatus as set forth in claim 12, wherein said function is a mode
2 control function associated with the task list comprising a Turn ON
3 Transmit Function task and a Turn OFF Transmit Function task.
- 1 17. An apparatus as set forth in claim 12, wherein said function is a mode
2 control function associated with the task list comprising a Turn ON
3 Receive Function task and a Turn OFF Receive Function task.
- 1 18. An apparatus as set forth in claim 12, wherein said function is a mode
2 control function associated with the task list comprising a Set Ringer to
3 loud task and Set Ringer to low task.
- 1 19. An apparatus as set forth in claim 12, wherein said function is a mode
2 control function associated with the task list comprising a Turn Vibrate
3 Mode ON task and a Turn Vibrate Mode OFF task.
- 1 20. An apparatus as set forth in claim 11, wherein said controller comprises a
2 processor coupled to a timer, wherein said processor accesses a time of
3 day from said timer and periodically performs said determining if the action
4 timer parameter is greater than or equal to a time of day.






FIG. 2

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/24205

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 H04M1/725 H04M1/247

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
X	WO 98 07265 A (GATEWAY 2000 INC) 19 February 1998 (1998-02-19)	1,11
A	page 4, line 10 -page 13, line 24; figures 1-8	2,3, 6-10,12, 13,15-20
A	EP 0 399 520 A (HITACHI LTD) 28 November 1990 (1990-11-28)	1-3,6-8, 10-13, 16-18,20
	column 6, line 49 -column 27, line 50; figures 1-26	
A	US 5 625 683 A (KALENOWSKY ET AL) 29 April 1997 (1997-04-29)	1-3, 11-13
	column 1, line 48 -column 3, line 50; figures 1-3	
	--- -/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

S document member of the same patent family

Date of the actual completion of the international search

12 January 2001

Date of mailing of the international search report

24/01/2001

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Delangue, P

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 00/24205

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	WO 99 57880 A (ERICSSON INC) 11 November 1999 (1999-11-11) page 4, line 1 -page 7, line 18; figures 1,2 -----	1,11

INTERNATIONAL SEARCH REPORT

Information on patent family members

Int. l. Application No

PCT/US 00/24205

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9807265 A	19-02-1998	AU 3969997 A CA 2262592 A EP 0917795 A	06-03-1998 19-02-1998 26-05-1999
EP 0399520 A	28-11-1990	JP 2308694 A JP 2852065 B JP 3054987 A DE 69029163 D DE 69029163 T US 5128981 A	21-12-1990 27-01-1999 08-03-1991 02-01-1997 22-05-1997 07-07-1992
US 5625683 A	29-04-1997	CN 1164808 A DE 19710689 A FR 2746568 A GB 2311695 A,B JP 9270843 A	12-11-1997 06-11-1997 26-09-1997 01-10-1997 14-10-1997
WO 9957880 A	11-11-1999	AU 3651699 A	23-11-1999